







- NOTE:**
- ALL DIMENSIONS ARE IN MILLIMETERS, BRACKETED DIMENSIONS ARE IN INCHES.
 - GENERAL TOLERANCES: 10mm OVER - $\pm 0.20\text{mm}$.
10mm BELOW - $\pm 0.10\text{mm}$.
 - MATERIAL: SEE PAGE 3 OF 3.
 - This product is lead Free.



NDS(R)-12-V	12	31.84[1.254]	27.94[1.100]
NDS(R)-10-V	10	26.76[1.054]	22.86[.900]
NDS(R)-09-V	9	24.22[.954]	20.32[.800]
NDS(R)-08-V	8	21.68[.854]	17.78[.700]
NDS(R)-07-V	7	19.14[.754]	15.24[.600]
NDS(R)-06-V	6	16.60[.654]	12.70[.500]
NDS(R)-05-V	5	14.06[.554]	10.16[.400]
NDS(R)-04-V	4	11.52[.454]	7.62[.300]
NDS(R)-03-V	3	8.98[.354]	5.08[.200]
NDS(R)-02-V	2	6.44[.254]	2.54[.100]
PROD. NO.	NO. OF POS.	DIM. A	DIM. B



DATE CODE
ex:
(1,2~9,X,Y,Z) L0,1,2,~9

△			
△			
△			
△			
△			
SYM	DISCRIPTION	DATE	APPROVED
1			
2			
3			

TACLEX TACLEX ELECTRONICS CO., LTD.

TOLERANCES UNLESS OTHERWISE SPECIFIED LINEAR: ± 0.30 ANGULAR: $\pm 3^\circ$	SIGNATURES		DATE	TITLE
	DRAWN	Alex	2012.03.16	DIP SWITCH
	CHK'D	Andy	2012.03.16	NO.
REVISIONS	SCALE	APPV'D	2012.03.16	NDS(R)
A	5/1	Rex		